


DEFENDER BOLLARD

DB90/I



90mmØ Fixed Bollards

Code	Style	Product Height	Depth IG	Wall Th.	Installed Height
DB90/I	Inground	1240mm	300mm	4mm	940mm

Fixed Bollard Optional Extras

Code	Description
DB90/BLUG1	1 Chain Attachment Ring - left or right
DB90/BLUG2	2 Chain Attachment Rings - left & right

- Ideal for locations where light vehicles and pedestrian traffic may collide
- Bolt down or inground models
- Highly visible, safety yellow powdercoat finish as standard
- Other powdercoat colours available on request
- Removable cap for concrete filling
- Recommended core cutting size 110mm minimum


1300 76 44 77

www.pws.com.au email: sales@pws.com.au

• Installation service available in Sydney, Melbourne, Brisbane and Perth

DEFENDER BOLLARD

DB140/I



140mmØ Fixed Bollards

Code	Style	Product Height	Depth IG	Wall Th.	Installed Height
DB140/I	Inground	1500mm	400mm	5mm	1100mm

Fixed Bollard Optional Extras

Code	Description
DB140/BLUG1	1 Chain Attachment Ring - left or right
DB140/BLUG2	2 Chain Attachment Rings - left & right

- Ideal for locations where light vehicles and pedestrian traffic may collide
- Bolt down or inground models
- Highly visible, safety yellow powdercoat finish as standard
- Other powdercoat colours available on request
- Removable cap for concrete filling
- Recommended core cutting size 180mm minimum


1300 76 44 77

www.pws.com.au email: sales@pws.com.au

• Installation service available in Sydney, Melbourne, Brisbane and Perth

DEFENDER BOLLARD

DB165/I



165mmØ Fixed Bollards

Code	Style	Product Height	Depth IG	Wall Th.	Installed Height
DB165/I	Inground	1500mm	400mm	5mm	1100mm

Fixed Bollard Optional Extras

Code	Description
DB165/BLUG1	1 Chain Attachment Ring - left or right
DB165/BLUG2	2 Chain Attachment Rings - left & right

- Ideal for locations where light and heavy vehicles and pedestrian traffic may collide
- Bolt down or inground models
- Highly visible, safety yellow powdercoat finish as standard
- Other powdercoat colours available on request
- Removable cap for concrete filling
- Recommended core cutting size 190mm minimum


1300 76 44 77

www.pws.com.au email: sales@pws.com.au

• Installation service available in Sydney, Melbourne, Brisbane and Perth

DEFENDER BOLLARD

DB219/I



219mmØ Fixed Bollards

Code	Style	Product Height	Depth IG	Wall Th.	Installed Height
DB219/I	Inground	1500mm	400mm	5mm	1100mm

Fixed Bollard Optional Extras

Code	Description
DB219/BLUG1	1 Chain Attachment Ring - left or right
DB219/BLUG2	2 Chain Attachment Rings - left & right

- Ideal for locations where light and heavy vehicles and pedestrian traffic may collide
- Bolt down or inground models
- Highly visible, safety yellow powdercoat finish as standard
- Other powdercoat colours available on request
- Removable cap for concrete filling
- Recommended core cutting size 250mm minimum

1300 76 44 77

www.pws.com.au email: sales@pws.com.au

• Installation service available in Sydney, Melbourne, Brisbane and Perth